

SCOPE OF CERTIFICATION

Fire Door Scheme to BS 476: Part 22 or BS EN 1634-1

Manufacturer of Fire Doors in accordance with the Exova BM TRADA Q-Mark Scheme requirements

This document remains the intellectual property of Exova BM TRADA. It shall not be made available to another person or company without the prior written permission of Exova BM TRADA.

G.E. Door Manufacturing Limited
Forge Industrial Estate
Maesteg
Wales
CF34 0AZ

Completed: D. Kitchen

Checked: L. Bersanetti



Issue: 10 Date: 03 July 2017

Details: Scope amended to reflect the addition of Global Assessments, Chilt/A12138, Chilt/A13058 and Chilt/A13059 removal of Chilt/A06218 and new format.

This scope of certification supports
Certificate Number
006/181

The validity of this scope document should be checked against the current schedule of the Company's certification listed on the Exova BM TRADA website www.exovabmtrada.com.

Assessment/ Test Report	Owner of Assessment/ Report	Doorset Description	Rating	Test Type	Initial Type Test Lab (UKAS Ref)	Valid	Rev	Audit Tested
FEA/F98164	Pacific Rim Wood Ltd	Flamebreak 30	30min	BS476 Part 22	EMBT (1762)	✓	X	
Chilt/A02141	Pacific Rim Wood Ltd	Flamebreak 60	60min	BS476 Part 22	EMBT (1762)			
Chilt/A02066	Falcon Panel Products	Strebord 44	30min	BS476 Part 22	EMBT (1762)			
Chilt/A02067	Falcon Panel Products	Strebord 54	60min	BS476 Part 22	EMBT (1762)			
BMT/CNA/F15159	Falcon Panel Products	Stredor	30min	BS476 Part 22	EMBT (1762)			
Chilt/A12138	Falcon Panel Products	60 minute Fire Resisting Doorsets	60min	BS476 Part 22	EMBT (1762) CFR (4319)			
Chilt/A12138	Falcon Panel Products	90 minute Fire Resisting Doorsets	90min	BS476 Part 22	EMBT (1762) CFR (4319)			
Chilt/A12138	Falcon Panel Products	120 minute Fire Resisting Doorsets	120min	BS476 Part 22	EMBT (1762) CFR (4319)			
FEA/F97174	Halspan Limited	Prima 30	30min	BS476 Part 22	EMBT (1762) EWF (0249)			

FEA/F96103	Halspan Limited	Prima 60	60min	BS476 Part 22	EMBT (1762)			
Chil/A01204	Halspan Limited	Optima 30	30min	BS476 Part 22	EMBT (1762)			
Chil/A01205	Halspan Limited	Optima 60	60min	BS476 Part 22	EMBT (1762) EWF (0249)			
Chil/A05151	Halspan Limited	Halspan 90	90min	BS476 Part 22	EMBT (1762)			
BMT/CNA/F15082	Halspan Limited	Halspan 120	120min	BS476 Part 22	CFR (4319)			
Chil/A12151	Baillargeon Doors Inc	Blankfort 30	30min	BS476 Part 22	EMBT (1762)			
Chil/A12152	Baillargeon Doors Inc	Blankfort 60 & 60+	60min	BS476 Part 22	EMBT (1762) CFR (4319)			
Chil/A08247	GE Carpentry Services Ltd	GE Carpentry Particleboard	30min	BS476 Part 22	EMBT (1762)			
BMT/CAN/F14171	Lorient	Lorient Systems Fire Resisting/Smoke Control Doorsets(Safehinge)*	30 & 60min	BS476 Part 22	EMBT (1762)			
Chil/A13227	Sentry Panel Products Ltd	Pro Tech FD60	60min	BSEN 1634-1	EMBT (1762)			
Chil/A13242	Sentry Panel Products Ltd	Pro Tech FD30	30min	BSEN 1634-1	EMBT (1762)			
Chil/A13058	Morait AG	LAMINESSE FireSafe and FireSmoke 44mm	30min	BS476 Part 22	EMBT (1762)			
Chil/A13059	Morait AG	LAMINESSE FireSafe and FireSmoke 54mm	60min	BS476 Part 22	EMBT (1762)			
Chil/A13060	Morait AG	LAMINESSE FireSound 54mm and 59mm	30min	BS476 Part 22	EMBT (1762)			
Chil/A13060 Doorset B	Morait AG	LAMINESSE FireSound 59mm	60min	BS476 Part 22	EMBT (1762)			

*Must be used in conjunction with one of the blanks noted in BMT/CAN/F14171 & within GE Door Manufacturing Ltd scope of certification.

Associated documents

Associated documents are not shown on a Q-Mark certificate. They are only to be used in conjunction with any appropriate assessment reports listed above. Any doorset configuration or size parameters etc. stated in the assessment reports listed above shall take *priority* unless otherwise specifically stated in the associated document.

Document Ref.	Rev	Owner of Document	Document Description	Valid  
Beech open letter	1	Exova BM TRADA	Beech timber fire door industry task group open letter	
BMT/CAN/F14097	-	Exova BM TRADA	Reduced diameter glazing pins for 30 & 60 minute fire resisting timber doorsets	
BMT/CAN/F15004	-	Exova BM TRADA	Minimum finished thickness of door leaves and hinge positions	

